



A Natural Beauty

CITY OF TYLER 2015 SIMPLIFIED RESIDENTIAL ENERGY CODE COMPLIANCE FORM

Building Address _____

Subdivision _____

Builder Name _____

Builder Address _____

Builder Phone _____

(For office use only)

| | |
|------------|-------|
| Permit No. | _____ |
| Checked By | _____ |
| Date | _____ |

Builder Email _____

Choose one method of compliance:

Simplified Prescriptive Approach
(fill out remainder of form)

Participation in an approved Energy Performance Testing Program*
(attach documentation; see below)

Component Performance Approach
(attach documentation such as 2015 RES Check report)

Continue if "Simplified Prescriptive Approach" was chosen

Insulation

- Ceiling-Attic
- Ceiling-Roof
- Walls
- Walls
- Floors
- Crawl Space

| City of Tyler Simplified Prescriptive Inspection | |
|--|-------|
| R-38 | _____ |
| R-22 ¹ | _____ |
| R-20 | _____ |
| or R-13 cavity + R-5 continuous | |
| R-19 | _____ |
| R-19 | _____ |
| Max 0.35 | _____ |

| Inspection | |
|------------|-------|
| Max 0.35 | _____ |
| Max 0.25 | _____ |
| 14.0 Seer | _____ |
| 14.0 Seer | _____ |

*If participating in an **Energy Performance Testing Program**, list the name of the program here:

Door _____ U-Factor

Glazing Options

choose one

- Glazing²
- U-Factor
- Solar Heat Gain
- HVAC
- Split System
- Single Package

The proposed building represented in these documents is consistent with the building plans, specifications, and other calculations submitted with the permit application. The proposed building has been designed to meet the requirements of the Energy Code in the jurisdiction in which it will be built.

Builder/Designer _____ Date _____

email: _____

¹Must maintain the 1" ventilation area without compressing the insulation. May require a larger framing member. ²Area of all rough openings for glass windows and doors, measured using the inside dimensions of the rough framing dimension before any curbing, sash, trim or framing are installed; except that for doors with less than 50% glazing, it shall be the dimension of the rough opening cut in the door instead of the dimension of the entire door opening.