



ORDER OF INSPECTIONS Residential

Phase I: Post permit and address visible from the street. Maintain erosion control.

1. Install erosion control/silt fences.
2. Plumbing rough-In inspections are to be called in by the plumbing contractor.
3. Temporary power pole inspections are to be called in by the electrical contractor.
4. Pre-pour slab inspection is done after rebar is in place and termite treatment has been done.

Phase II: Post permit and address visible from the street. Have plans on-site.

1. Mechanical rough-in (includes fireplace & venting systems), electrical rough-in, and plumbing top-out inspections are called in by the contractors of each trade **before** the framing inspection is done.
2. Building framing inspection is done after the above inspections have been approved. *No* framing inspection will be done before their approval.
3. Anchor bolt and brick-tie inspections will be done at frame inspection.
4. Insulation is to be inspected by an independent 3rd party inspector, and the approved report submitted prior to installing sheetrock.

Phase III: Post permit and address visible from the street. Maintain erosion control.

1. Submittal documents required before finals:
 - a. Duct pressure test required before mechanical final.
 - b. CSI report required before plumbing final.
 - c. Backflow-test results required before irrigation final.
 - d. 3rd party energy inspection with 2015 IECC compliance report.
 - e. A affidavit verifying landscaping requirements per the UDC.
2. Mechanical, electrical, plumbing, and irrigation finals must be called in by the contractors of each trade prior to the final building inspection.
3. At the time of the electrical final, a minimum of 50% of lighting (lamps, bulbs, etc.) must be energy efficient to meet energy codes.



ORDER OF INSPECTIONS Residential (Continued)

Secondary Systems:

Swimming pools and driveways, if applicable, must be inspected and finalized before building final is issued.

Swimming Pool Inspections:

1. Belly steel and bonding inspections
2. Deck bonding inspection
3. Pool and electrical final inspections

Before the final approval, the pool must be completed and filled, required fencing installed, and alarms on doors that open into the enclosed pool area.

Driveways: Requires a separate permit

1. Pre-pour inspection to verify compliance with City of Tyler specifications

Retaining walls: Retaining walls over 4ft require an engineer's design

1. Footing inspection
2. Final inspection

Temporary Gas Service: Requires a separate permit

1. Gas pressure test
2. Final inspection – release of meter

Temporary Electrical Service: Requires a separate permit

1. Panels and fixtures, receptacles, switches, etc. below 8ft must be finished/trimmed out
2. Final inspection – release of meter

Building Inspectors

Jake Dunnam
Senior Building Inspector
903-531-1186
JDunnam@tylertexas.com

Bruce Bonham
Building Inspector
903-531-1157
BBonham@tylertexas.com

James Morrow
Electrical Inspector
903-531-1167
Jmorrow@tylertexas.com

Chris Warner
Mechanical Inspector
903-533-2082
Cwarner@tylertexas.com

James Martin
Plumbing Inspector
903-531-1059
Jmartin@tylertexas.com

